

Printing date 09/29/2008

Page 1/7

1 Identification of substance

- · Product details
- · Trade name: CLEARFIL CERAMIC PRIMER
- · Article number: US117
- · Application of the substance / the preparation Adhesive, dental ceramic
- · Manufacturer:

Kuraray Medical Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan

- · Supplier:
- Kuraray America, Inc.

600 Lexington Avenue, 26th Floor, New York, NY 10022 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com

· Information department: Supplier

2 Composition/Data on components

- · Chemical characterization
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
64-17-5	ethanol	Danger: 🚸 2.6/2	>80%
2530-85-0	3-trimethoxysilylpropyl methacrylate	Warning: 1.2/2, 3.3/2A, 3.8/3	< 5%
Other incredients 10 Methemaleuleurdeeul dibudreeen nheenbete			

· Other ingredients: 10-Methacryloyloxydecyl dihydrogen phosphate

3 Hazards identification

· Hazard description:



Highly flammable

· Information pertaining to particular dangers for man and environment:

The product has to be labelled due to the calculation procedure of international guidelines. Highly flammable.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

```
NFPA ratings (scale 0 - 4)
Health = 0
Fire = 3
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = 0
Fire = 3
Reactivity = 0
GHS label elements
Danger
```

2.6/2 - Highly flammable liquid and vapour.

(Contd. on page 2)



Printing date 09/29/2008

Material Safety Data Sheet acc. to ISO/DIS 11014

Reviewed on 10/01/2008

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 1)

Prevention:
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/ equipment.
Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

· Response:

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of fire: Use for extinction: CO2, powder or water spray.

· Storage:

Store in a well-ventilated place. Keep cool.

· Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

- \cdot After inhalation: Supply fresh air; consult doctor in case of complaints.
- \cdot After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

5 Fire fighting measures

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment:

Wear self-contained respiatory protective device.

Wear fully protective suit.

6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

 \cdot Measures for environmental protection:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).

(Contd. on page 3)



Printing date 09/29/2008

Reviewed on 10/01/2008

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 2) · Information about storage in one common storage facility: Store away from oxidizing agents. Store away from reducing agents. · Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. 8 Exposure controls and personal protection • Additional information about design of technical systems: No further data; see item 7. · Components with limit values that require monitoring at the workplace: 64-17-5 ethanol PEL 1900 mg/m³, 1000 ppm REL 1900 mg/m³, 1000 ppm TLV 1880 mg/m³, 1000 ppm • Additional information: The lists that were valid during the creation were used as basis. · Personal protective equipment: · General protective and hygienic measures: Wash hands before breaks and at the end of work. · Breathing equipment: Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles

· General Information	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
· Change in condition	
Melting point/Melting range:	-114.5 °C (ethanol)
Boiling point/Boiling range:	78 °C (ethanol)
· Flash point:	13 °C (ethanol)
· Ignition temperature:	425.0 °C (ethanol)
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.

Printing date 09/29/2008

Reviewed on 10/01/2008

Trade name: CLEARFIL CERAMIC PRIMER

		(Contd. of page 2
· Explosion limits:		
Lower:	3.5 Vol % (ethanol)	
Upper:	15.0 Vol % (ethanol)	
· Vapor pressure:	59.0 hPa (20°C, ethanol)	
· Density:	0.8 g/cm ³ (ethanol)	
· Vapour density	1.6 g/cm ³ (ethanol, air=1)	
· Solubility in / Miscibility with		
Water:	Partly miscible.	
· pH-value:	Not applicable	
· Segregation coefficient (n-octonol/v	vater): -0.32 (ethanol)	

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous products of decomposition: Carbon monoxide and carbon dioxide

11 Toxicological information

· Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
64-17-5 ethanol		
Oral	LD50	3450 mg/kg (mouse)
		7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
	LD50	3600 mg/kg (rat - intraperitoneal)
2530-85-0	3-trimeth	oxysilylpropyl methacrylate
Oral	LD50	22600 mg/kg (rat)
Dermal	LD50	500 mg/kg (rabbit)
Primary irritant effect:		
on the skin. No irritant affect		

- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- \cdot Sensitization: No sensitizing effects known.

12 Ecological information

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 5)



Printing date 09/29/2008

Reviewed on 10/01/2008

Trade name: CLEARFIL CERAMIC PRIMER

(Contd. of page 4)

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- \cdot Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information			
DOT regulations:			
Hazard class:	3		
Identification number:	ntification number: UN1170		
Packing group:	II		
Proper shipping name (technical	name): ETHANOL, mixture		
Label	3		
· Land transport ADR/RID (cross-border):			
ADR/RID class:	3 Flammable liquids		
Danger code (Kemler):	33		
UN-Number:	1170		
Packaging group:	II		
Label:	3		
Description of goods:	1170 ETHANOL (ETHYL ALCOHOL), mixture		
Maritime transport IMDG:			
IMDG Class:	3		
UN Number:	1170		
Label	3		
Packaging group:	Π		
EMS Number:	F-E,S-D		
Marine pollutant:	No		
Propper shipping name:	ETHANOL (ETHYL ALCOHOL), mixture		
Air transport ICAO-TI and IAT	'A-DGR:		
ICAO/IATA Class:	3		
UN/ID Number:	1170		
Label	3		
Packaging group:	II		
Propper shipping name:	ETHANOL, mixture		

15 Regulations

Sara Section 355 (extremely hazardous substances): None of the ingredient is listed. Section 313 (Specific toxic chemical listings): None of the ingredients is listed. TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 6)

⁻ USA



Printing date 09/29/2008

Reviewed on 10/01/2008

(Contd. of page 5)

A4

Trade name: CLEARFIL CERAMIC PRIMER

· Chemicals known	to cause reproductive	toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

· Cancerogenity categories

64-17-5 ethanol

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Highly flammable

· Hazard-determining components of labelling:

ethanol

3-trimethoxysilylpropyl methacrylate

· Risk phrases:

Highly flammable.

· Safety phrases:

Keep container tightly closed and in a well-ventilated place.

Keep away from sources of ignition - No smoking.

- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- After contact with skin, wash immediately with plenty of soap and water.

This material and its container must be disposed of as hazardous waste.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Version: 4

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement internationale concernent le transport des merchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)



Printing date 09/29/2008

Reviewed on 10/01/2008

Trade name: CLEARFIL CERAMIC PRIMER

	(Contd. of page 6)
ICAO: International Civil Aviation Organization	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
ACGIH: American Conference of Governmental Industrial Hygienists	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
	USA